VOLUME 37

LIST OF CONTENTS

Number 1

Disturbances in hypothalamo pituitary adrenal and thyroid axis identify different sleep EEG patterns in major depressed patients

L. Staner, F. Duval, J. Haba, M.C. Mokrani and J.P. Macher 1

Place of chronic insomnia in the course of depressive and anxiety disorders

M.M. Ohayon and T. Roth 9

Habitual binge/purge behavior influences circulating ghrelin levels in eating disorders

M. Tanaka, T. Naruo, N. Nagai, N. Kuroki, T. Shiiya, M. Nakazato, S. Matsukura and S. Nozoe 17

Enhanced intensity dependence as a marker of low serotonergic neurotransmission in borderline personality disorder

C. Norra, M. Mrazek, F. Tuchtenhagen, R. Gobbelé, H. Buchner, H. Saß and S.C. Herpertz 23

Preference for higher sucrose concentrations in cocaine abusing-dependent patients

D.S. Janowsky, O. Pucilowski and M. Buyinza 35

Differential effects of antipsychotics on expression of antioxidant enzymes and membrane lipid peroxidation in rat brain

V. Parikh, M.M. Khan and S.P. Mahadik 43

Differential effects of fluoxetine and imipramine on the phosphorylation of the transcription factor CREB and cell-viability

J.M. Koch, S. Kell and J.B. Aldenhoff 53

Unique design issues in clinical trials of patients with bipolar affective disorder

R.M. Post and D.A. Luckenbaugh 61

Operationalizing DSM-IV criteria for PMDD: selecting symptomatic and asymptomatic cycles for research

M.J. Smith, P.J. Schmidt and D.R. Rubinow 75

Letter to the Editor

Increased concentration of corticosteroid-binding globulin due to antidepressant treatment with amitritpyline, but not paroxetine

M. Deuschle, P. Luppa, B. Hamann, A. Nonell and I. Heuser 85

Number 2

Association between the psychosocial network and dementia—a case–control study
A. Seidler, T. Bernhardt, A. Nienhaus and L. Frölich 89

Persistence of cognitive impairment in geriatric patients following antidepressant treatment: a randomized, double-blind clinical trial with nortriptyline and paroxetine
R.D. Nebes, B.G. Pollock, P.R. Houck, M.A. Butters, B.H. Mulsant, M.D. Zmuda and C.F. Reynolds III 99

Positron emission tomography in female patients with Borderline personality disorder
F.D. Juengling, C. Schmahl, B. Heßlinger, D. Ebert, J.D. Bremner, J. Gostomzyk, M. Bohus and K. Lieb 109

Successful recruitment strategies for women in postpartum mental health trials
K.S. Peindl and K.L. Wisner 117

Early- and late-onset obsessive–compulsive disorder in adult patients: an exploratory clinical and therapeutic study
L.F. Fontenelle, M.V. Mendlowicz, C. Marques and M. Versiani 127

Association between response to lithium augmentation and the combined DEX/CRH test in major depressive disorder
T. Bschor, C. Baethge, M. Adli, U. Eichmann, M. Ising, M. Uhr, S. Modell, H. Künzel, B. Müller-Oerlinghausen and M. Bauer 135

Effects of antidepressant pharmacotherapy after repetitive transcranial magnetic stimulation in major depression: an open follow-up study
C. Schüle, P. Zwanzger, T. Baghai, P. Mikhaiel, H. Thoma, H.-J. Möller, R. Rupprecht and F. Padberg 145

Reduced Kamin blocking in non paranoid schizophrenia: associations with schizotypy
P.M. Moran, M.M. Al-Uzri, J. Watson and M.A. Reveley 155

The effect of therapeutically induced weight gain on plasma leptin levels in patients with anorexia nervosa
K. Holtkamp, J. Hebebrand, C. Mika, I. Grzella, M. Heer, N. Heussen and B. Herpertz-Dahlmann 165

Letters to the Editor

Tolerance to antidepressant treatment may be overcome by ketoconazole. Report of two cases
N. Sonino and G.A. Fava 171

Reassessment of global benefit-risk assessment of antidepressants: venlafaxine XR and fluoxetine
R.N. Tamura and Y. Lu 175

Reply

Response to Roy N. Tamura and Yili Lu Letter to the Editor
R. Entsuah 176

Number 3

abcb1ab P-glycoprotein is involved in the uptake of citalopram and trimipramine into the brain of mice
M. Uhr and M.T. Grauer 179

Comparing anxiety disorders and anxiety-related traits in bipolar disorder and unipolar depression
N.M. Simon, J.W. Smoller, M. Fava, G. Sachs, S.R. Racette, R. Perlis, S. Sonawalla and J.F. Rosenbaum 187

Review

Epidemiology, implications and mechanisms underlying drug-induced weight gain in psychiatric patients
U. Zimmermann, T. Kraus, H. Himmerich, A. Schuld and T. Pollmächer 193

Increased beclomethasone-induced vasoconstriction in women with posttraumatic stress disorder
N.J. Coupland, K.M. Hegadoren and J. Myrholm 221

Plasma levels of soluble transferrin receptors and Clara cell protein (CC16) during bipolar mania and subsequent remission
S.-Y. Tsai, H.-C. Lee, C.-C. Chen and C.-H. Lee 229

Potential use of the topical niacin skin test in early psychosis—a combined approach using optical reflection spectroscopy and a descriptive rating scale
S. Smesny, G. Berger, T. Rosburg, S. Riemann, S. Riehemann, P. McGorry and H. Sauer 237

Tail-suspension induced hyperthermia: a new measure of stress reactivity
X. Liu, D. Peprah and H.K. Gershenfeld 249

Letter to the Editor

Oral citalopram and reboxetine challenge tests before and after selective antidepressant treatment
O. Moeller, G. Hetzel, M. Rothermundt, N. Michael, P.W. Nyhuis, T. Suslow, V. Arolt and A. Erfurth 261

Erratum to "Early- and late- onset obsessive-compulsive disorder in adult patients: an exploratory clinical and therapeutic study"
L.F. Fontenelle, M.V. Mendlowicz, C. Marques and M. Versiani 263

Corrigendum to "Habitual binge/purge behaviour influences circulating ghrelin levels in eating disorders"
M. Tanaka, T. Naruo, N. Nagai, N. Kuroki, T. Shiiya, M. Nakazato, S. Matsukura and S.-i. Nozoe 265

Number 4

Add-on rTMS for treatment of depression: a pilot study using stereotaxic coil-navigation according to PET data
U. Herwig, Y. Lampe, F.D. Juengling, A. Wunderlich, H. Walter, M. Spitzer and C. Schönfeldt-Lecuona 267

Safety aspects of chronic low-frequency transcranial magnetic stimulation based on localized proton magnetic resonance spectroscopy and histology of the rat brain
D. Liebetanz, S. Fauser, T. Michaelis, B. Czéh, T. Watanabe, W. Paulus, J. Frahm and E. Fuchs 277

MRI investigation of temporal lobe structures in bipolar patients
P. Brambilla, K. Harenski, M. Nicoletti, R.B. Sassi, A.G. Mallinger, E. Frank, D.J. Kupfer, M.S. Keshavan J.C. Soares 287

Early age at onset as a risk factor for poor outcome of bipolar disorder
T.D.C. Carter, E. Mundo, S.V. Parikh and J.L. Kennedy 297

Selective alterations of the first NREM sleep cycle in humans by a dopamine D1 receptor antagonist (NNC-687)
D.N. Eder, M. Zdravkovic and G. Wildschiødtz 305

Human impulsive aggression: a sleep research perspective
N. Lindberg, P. Tani, B. Appelberg, H. Naukkarinen, R. Rimón, T. Porkka-Heiskanen and M. Virkkunen 313

Clinician recognition of anxiety disorders in depressed outpatients
M. Zimmerman and I. Chelminski 325

Patients' perception of their depressive illness
R. Manber, A.S. Chambers, S.K. Hitt, C. McGahuey, P. Delgado and J.J.B. Allen 335

Influence of gender and hemispheric lateralization on heat pain perception in major depression
K.J. Bär, W. Greiner, A. Letsch, R. Köbele and H. Sauer 345

Number 5

SPECIAL ISSUE
Brain Imaging and Postmortem Studies in Affective Disorders

Editorial
A. Halaris 355

Involvement of serotonin in depression: evidence from postmortem and imaging studies of serotonin receptors and the serotonin transporter
C.A. Stockmeier 357

Genetics of the serotonergic system in suicidal behavior
V. Arango, Y.-y. Huang, M.D. Underwood and J.J. Mann 375

Serotonin transporter and MAO-B levels in monoamine nuclei of the human brainstem are normal in major depression
V. Klimek, G. Roberson, C.A. Stockmeier and G.A. Ordway 387

Differential expression of α_2-adrenoceptor vs. imidazoline binding sites in postmortem orbitofrontal cortex and amygdala of depressed subjects
J.E. Piletz, G.A. Ordway, G. Rajkowska, H. Zhu, V. Klimek, S. Swilley, B.J. Duncan, W. May and A.E. Halaris . . 399

Comparison of prefrontal cell pathology between depression and alcohol dependence
J.J. Miguel-Hidalgo and G. Rajkowska 411

Altered expression and phosphorylation of myristoylated alanine-rich C kinase substrate (MARCKS) in postmortem brain of suicide victims with or without depression
G.N. Pandey, Y. Dwivedi, X. Ren, H.S. Rizavi, R.C. Roberts, R.R. Conley and C. Tamminga 421

Lithium inhibitable enzymes in postmortem brain of bipolar patients
G. Agam, G. Shatiel, N. Kozlovsky, H. Shimon and R.H. Belmaker 433

Number 6

Review

A review of functional neuroimaging studies of vagus nerve stimulation (VNS)
J.-H. Chae, Z. Nahas, M. Lomarev, S. Denslow, J.P. Lorberbaum, D.E. Bohning and M.S. George 443

Association between IL-1β -511C/T and IL-1RA $(86bp)_n$ repeats polymorphisms and schizophrenia
R. Zanardini, L. Bocchio-Chiavetto, C. Scassellati, C. Bonvicini, G.B. Tura, G. Rossi, J. Perez and M. Gennarelli 457

Hypothalamo-pituitary-adrenal function in patients with depressive disorders is correlated with baseline cytokine levels, but not with cytokine responses to hydrocortisone
A. Schuld, D.A. Schmid, M. Haack, F. Holsboer, E. Friess and T. Pollmächer 463

Relationship between dexamethasone-inhibited lysozyme activity in peripheral mononuclear leukocytes and the cortisol and glucocorticoid receptor response to dexamethasone
R. Yehuda, R.-K. Yang, S.L. Guo, I. Makotkine and B. Singh 471

Specific executive/attentional deficits in patients with schizophrenia or bipolar disorder who have a positive family history of psychosis
R. Tabarés-Seisdedos, V. Balanzá-Martínez, J. Salazar-Fraile, G. Selva-Vera, C. Leal-Cercós and M. Gómez-Beneyto . . 479

The distribution and morphology of prefrontal cortex pyramidal neurons identified using anti-neurofilament antibodies SMI32, N200 and FNP7. Normative data and a comparison in subjects with schizophrenia, bipolar disorder or major depression
A.J. Law and P.J. Harrison 487

Fast psychomotor functioning in underweight anorexia nervosa patients
G. Pieters, B. Sabbe, W. Hulstijn, M. Probst, W. Vandereycken and J. Peuskens 501

Development of a standardized training program for the Hamilton Depression Scale using internet-based technologies: results from a pilot study
K.A. Kobak, J.D. Lipsitz and A. Feiger 509

2-OH-estradiol, an endogenous hormone with neuroprotective functions
M. Teepker, N. Anthes, J.-C. Krieg and H. Vedder 517

Treatment of depression with the CRH-1-receptor antagonist R121919: endocrine changes and side effects
H.E. Künzel, A.W. Zobel, T. Nickel, N. Ackl, M. Uhr, A. Sonntag, M. Ising and F. Holsboer 525

Age and disease severity predict choice of atypical neuroleptic: a signal detection approach to physicians' prescribing decisions
J.A. Yesavage, J. Hoblyn, J. Sheikh, J.R. Tinklenberg, A. Noda, R. O'Hara, C. Fenn, M.S. Mumenthaler, L. Friedman and H.C. Kraemer 535

Total length of nerve fibers in prefrontal and global white matter of chronic schizophrenics
L. Marner and B. Pakkenberg 539

Decreased platelet peripheral-type benzodiazepine receptors in persistently violent schizophrenia patients
M. Ritsner, I. Modai, A. Gibel, S. Leschiner, H. Silver, G. Tsinovoy, A. Weizman and M. Gavish 549

Corrigendum to "Lithium inhibitable enzymes in postmortem brain of bipolar patients"
G. AgamG. Shaltiel, N. Kozlovsky, H. Shimon and R.H. Belmaker 557

Announcement 559

List of Contents and author index for Volume 37, 2003 I